

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4682	(73/40,49.2,49.3,45.5,49.5,49.6,49.7,49.8).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/12 06:06
L2	78	1 and (chamber with integrity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/12 05:55
L3	594	1 and ((predetermined predefined) with (liquid moistness fluid) woth absorbed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/12 05:56
L4	2	1 and ((predetermined predefined) with (liquid moistness fluid) with absorbed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/12 05:56
L5	2	1 and ((predetermined predefined "pre-determined" "pre-defined") with (liquid moistness fluid) with absorbed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/12 05:57
L6	13	1 and ((predetermined predefined "pre-determined" "pre-defined") with (liquid moistness fluid) with thereon)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/12 06:06
L7	60	1 and (simulat\$4 near4 leak\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/12 06:06
L8	5123	(73/40,49.2,49.3,45.5,49.5,49.6,49.7,49.8,52).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/12 06:06
L9	60	8 and (simulat\$4 near4 leak\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/12 06:06
L10	13	8 and ((predetermined predefined "pre-determined" "pre-defined") with (liquid moistness fluid) with thereon)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/12 06:06
S1	4	(leak\$4 near test\$4) and (remov\$4 near (moisute or humidity))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 14:05
S2	181	(leak\$4 near test\$4) and (remov\$4 near (moisture or humidity))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 14:14
S3	445	(leak\$4 near test\$4) and (evaporat\$4 with pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 14:17

S4	14	("0857388"   "2784373"   "3381523"   "3973249"   "4320653"   "4409817"   "5199296"   "5239859"   "5482683"   "5513516"   "5575265"   "5907093"   "6082184"   "6202477").PN.	USPAT	OR	ON	2004/08/04 14:16
S5	359	(leak\$4 near test\$4) and (polyamide or polyoxymethylene)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 14:18
S6	8	((leak\$4 near test\$4) and (polyamide or polyoxymethylene)) and ((polyamide or polyoxymethylene) with test\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/07 07:08
S7	255759	polyamide or polyoxymethylene	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 14:21
S8	41510	(polyamide or polyoxymethylene) with (can or container)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 14:21
S9	30	(polyamide or polyoxymethylene) with (aerosol with (can or container))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 14:23
S10	16	(polyamide or polyoxymethylene) with (aerosol with container)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 14:23
S11	3811	(73/40,49.2,49.3,45.5,49.5,49.6,49.7,49.8).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/05 09:41
S12	19	((73/40,49.2,49.3,45.5,49.5,49.6,49.7,49.8).CCLS.) and evaporate) and (evaporate with pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/05 10:27
S13	62	((73/40,49.2,49.3,45.5,49.5,49.6,49.7,49.8).CCLS.) and evaporate	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/05 10:27
S14	39	(polyamide polyoxymethylene POM) with (test\$4 near (body standard))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/07 07:13
S15	0	(polyamide polyoxymethylene POM) with (leak\$4 near (body standard))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/07 07:13
S16	262	(polyamide polyoxymethylene POM) with (leak\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/07 09:07
S17	4627	((73/1.01,1.03,1.04,1.57,1.58) or (73/40,49.2,49.3,45.5,49.5) or (73/49.6,49.7,49.8)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/07 09:09
S18	214	S17 and ((cup body standard) with (liquid moisture))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/07 09:13

S19	183	(calibrat\$4 validat\$4) with (vacuum and test\$4 and chamber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/07 09:15
S20	183	(calibrat\$4 validat\$4) with (vacuum and test\$4 and chamber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/07 10:00
S21	88	S20 and (moisture liquid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/07 10:00
S22	1	("3,186,214").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/07 09:24
S23	15	("3186214").URPN.	USPAT	OR	ON	2005/03/07 09:25
S24	5	("3898882"   "4739647"   "4932788"   "5190726"   "5343760").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/07 09:34
S25	5	("5485754").URPN.	USPAT	OR	ON	2005/03/07 09:34
S26	82	S20 and (fluid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/07 10:01
S27	316	(lehmann-ma\$).in", and (calibrat\$4 validat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/07 10:43
S28	316	(lehmann-ma\$).in", and (calibrat\$4 validat\$4) and leak\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/07 10:46
S29	83	S28 and (moisture liquid fluid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/07 10:44
S30	316	(lehmann-ma\$).in", and ((calibrat\$4 validat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/07 10:47
S31	83	S30 and (moisture liquid fluid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/07 10:46
S32	29	(lehmann-ma\$).in. and ((calibrat\$4 validat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/07 10:47
S33	4681	(73/40,49.2,49.3,45.5,49.5,49.6,49.7,49.8).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/12 05:52

S34	460	S33 and ((chamber system) with (integrity calibrat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/05 09:46
S35	4	S34 and (moisture with pressure with (increas\$3 rise))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/05 09:43
S36	1	S33 and ((chamber system) with (integrity calibrat\$4) with ressure with (increas\$3 rise))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/05 09:46
S37	17	S33 and ((chamber system) with (integrity calibrat\$4) with pressure with (increas\$3 rise))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/05 10:18